

CDMA Femtocell *User Guide*

DRAFT



Copyright © 2013 Airvana, LLC. All rights reserved.

Airvana is a registered trademark of Airvana, LLC. ("Airvana"). All other trademarks are trademarks of their respective owners.

This document contains information that is the property of Airvana. This document may not be copied, reproduced, reduced to any electronic medium or machine readable form, or otherwise duplicated, and the information herein may not be used, disseminated or otherwise disclosed, except with the prior written consent of Airvana.

THE SPECIFICATIONS AND INFORMATION REGARDING THE PRODUCTS IN THIS MANUAL ARE SUBJECT TO CHANGE WITHOUT NOTICE. ALL STATEMENTS, INFORMATION, AND RECOMMENDATIONS IN THIS MANUAL ARE BELIEVED TO BE ACCURATE BUT ARE PRESENTED WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED. USERS MUST TAKE FULL RESPONSIBILITY FOR THEIR APPLICATION OF ANY PRODUCTS.

THE SOFTWARE LICENSE AND LIMITED WARRANTY FOR THE ACCOMPANYING PRODUCT ARE SET FORTH IN THE INFORMATION PACKET THAT SHIPPED WITH THE PRODUCT AND ARE INCORPORATED HEREIN BY REFERENCE. IF YOU ARE UNABLE TO LOCATE THE SOFTWARE LICENSE OR LIMITED WARRANTY, CONTACT YOUR AIRVANA SALES REPRESENTATIVE FOR A COPY.

Contents

Introduction	1
Check What's in the Box	2
Setup at a Glance	3
Setting up Your Femtocell	4
Setting up Optional Components	7
Configuring Your Femtocell's Built-in Router.....	9
How Your Femtocell Works	10
Your Broadband Connection Speed.....	12
Maintenance	13
Troubleshooting Installation Problems	14
Using LEDs.....	16
FAQs	21
Adding Your ISP User Name and Password	23
General Precautions	26
Warning of 911 Limitations	27
FCC Information	28

Introduction

This guide introduces you to your CDMA femtocell device and all its features. Throughout this guide, you'll find tips and techniques to get you started and to help you make the most of your new femtocell and service. This guide also provides troubleshooting information to isolate common issues with your femtocell installation.



TIP

The Table of Contents can help you quickly locate specific information.

Because of updates in software, this printed guide may not be the most current version for your femtocell. See your service provider's website to access the most recent version of the User Guide.




WARNING

It is important to read the safety information on page 23 and page 27 to learn about how to safely use your femtocell. Failure to read and follow the safety information in this user guide may result in serious bodily injury, death, or property damage.

Check What's in the Box


Make sure that the following items are in the box:




Femtocell



**Yellow Ethernet
cable**



Power supply




**Quick Start Guide
User Guide**



**External GPS
antenna cable**

Setup at a Glance



TIP

See the Quick Start Guide for the basics on setup and getting your femtocell up and running.

Setting up Your Femtocell

- 1 Disconnect the power from all devices on your network.


NOTE: This includes your cable or DSL modem and home router.

- 2 Place your device close to a window and in a central location. For best results, place the device in an elevated location, such as the top of a bookshelf or tall cabinet.

NOTE: In large homes, the external GPS antenna can be used to allow the femtocell to be placed in a more central location. This allows the femtocell to provide even coverage throughout the home. See “Your Broadband Connection Speed” on page 12 for more information.

- 3 Connect one end of the yellow Ethernet cable to the LAN port on your home router.


NOTE: If your modem includes a home router, plug the femtocell into an available port on the modem.




- 4 Connect the other end of the Ethernet cable to your femtocell's yellow WAN port.

- 5 Turn on your cable or DSL modem, and home router.


NOTE: Wait a couple of minutes for the cable or DSL modem to fully initialize before continuing.



- 6 Plug the power supply connector into the black port on your femtocell.



- 7 Plug the other end into an available electrical outlet.



When is Your Femtocell Ready for Use?

After installing and turning on your femtocell for the first time, take notice of an automated setup sequence. During this time, the device's green LEDs will be solid for a few seconds, and then all LEDs, except the Broadband LED, will turn off until the software loads. This process may take up to 2 hours if your GPS antenna is not near a window to receive sufficient GPS signals from the sky.


When the Broadband, GPS, Network, and Mobile LEDs are solid green, your femtocell is ready for use.

For complete descriptions of LED states and a quick reference to LED status indicators, see "Using LEDs" (page 16).



TIP


You will hear three short beeps when placing or answering calls on your wireless phone if you are within range of the femtocell.



Setting up Optional Components

PC or LAN Router Setup

Connect any devices that you have, such as a PC , to your femtocell's blue LAN ports.




External GPS Antenna Setup

If the GPS LED does not turn solid green after 30 minutes, connect the external GPS antenna to your femtocell.

Place the external GPS antenna horizontally on a window sill. The antenna works best in an open area, with a clear view of the sky, where it can easily pick up signals.

Do not place the GPS antenna:

- Outdoors; it is not weatherproof.
- Behind large, heavy objects; doing so could affect the signal.



Configuring Your Femtocell's Built-in Router

Usually, you can plug your femtocell into your broadband connection device, such as a cable modem, DSL modem or FiOS (a high-speed, fiber optic broadband Internet service), without performing any additional steps. However, you may need to configure the built-in router to work with your ISP modem or connection device. The following table lists typical ISP setups and actions to take so that the built-in router works with your existing ISP setup.

Broadband connection device	LED display pattern	Symptom	Action to take
Cable modem	Broadband and Mobile solid green	Not applicable (working properly)	Not applicable
DSL modem	Broadband LED blinking red	Cannot access Internet	See "Adding Your ISP User Name and Password" (page 23)
DSL modem with router	Broadband LED blinking red	Cannot access Internet	See "FAQs" (page 21). If the problem persists, contact Customer Support as described in "Getting Help" (page 22)
Cable modem with router	Mobile LED blinking red	Cannot make a mobile phone call through the femtocell	
FiOS			


How Your Femtocell Works

Your femtocell is like a personal base station with a radio unit that is similar to a cell tower radio. The base station uses a low-power antenna to transmit voice and data cellular signals in your home or small office.

Base stations give you better cellular coverage, which means a stronger signal and improved voice quality. Also, data applications on smartphones, such as mobile email devices, work faster.

The femtocell connects to your provider's network through your broadband Internet connection. Outgoing calls go from the femtocell over a secure connection to your provider's network; incoming calls reverse this route.

How calls and Data Go Over the Internet



Your Broadband Connection Speed

Your femtocell supports up to six simultaneous voice calls, data sessions, or any combination of both.

Your femtocell can support data sessions of up to 3 Mbps downstream and 1.8 Mbps upstream.

The actual transmission speed of your femtocell is only as fast as your maximum broadband connection speed. Internet congestion, the number of users on your provider's network, and other factors can decrease your actual broadband connection speed. Individual bandwidth needs vary per customer.

Your service provider recommends a minimum of 300 kbps (both upstream and downstream) for voice services and 3 Mbps downstream and 1.8 Mbps upstream for data services.

The following table shows recommended bandwidth by usage type.

Usage Type	Recommended Dowload Speed	Recommended Upload Speed
Wireless Call	40 kbps per call	40 kbps per call
Wireless Data	Up to 3 Mbps per session	Up to 1.8 Mbps per session

Maintenance

With normal use, your femtocell is maintenance-free. Follow the recommendations below to ensure that it runs optimally.

Ventilation

Your femtocell has ventilation slots that work best if you don't block the flow of air to them. Keep your femtocell at least 2 inches (5 cm) from walls and other surfaces to ensure proper air flow.

Cleaning

Dust your femtocell occasionally to keep air vents clear of debris.

NOTE: Do not use liquid cleaners on your femtocell.

Troubleshooting Installation Problems

During the installation, if your Broadband LED turns solid red, reversing the order of turning on the femtocell and your cable or DSL modem can often resolve this problem. To reverse the order, follow these procedures:


- 1 Unplug all cables and power cords from all devices. You can unplug devices in any order.
- 2 Connect all Ethernet and GPS cables as described in “Setting up Your Femtocell” (page 4).

NOTE: Do not connect any power cords at this point in the procedure.

- 3 Plug the femtocell into an electrical outlet.
- 4 Wait 4 minutes.
- 5 Plug your cable or DSL modem into an electrical outlet.

If the Broadband LED turns solid red after 15 minutes, call the Customer Support number located on the insert included in your femtocell documentation package.

LED Quick Reference



- Mobile
- Solid green: Ready
 - Solid red: Hardware problem
 - Blinking red: Service error
 - Off: No service, service disabled, no power, or LED malfunction

- Network
- Solid green: Ready
 - Solid red: AIRAVE is not connected router/modem for more than 15 minutes
 - Blinking red to solid red: Service error
 - Off: No power or LED malfunction

- GPS
- Solid green: Ready
 - Blinking red: Acquiring a lock
 - Solid red: GPS lock not available
 - Off: No power or LED malfunction

- Broadband
- Solid green: Connected to the Internet
 - Blinking green: Initializing
 - Solid amber: Hardware problem
 - Blinking amber: Service error
 - Alternating green/amber: Software upgrade in progress
 - Off: No power

Using LEDs

LED	Display pattern	Action to take
Mobile	Solid green	None. Ready.
	Solid red	Hardware problem. Call Customer Support as described in “Getting Help” (page 22).
	Blinking red	Service has not come up since startup or has gone down. If service has gone down, call Customer Support as described in Getting Help. (page 22).
	Off	If the LED turns off after turning on from either a blinking red or solid green state, the femtocell is not activated. Contact the customer support number located on the insert included in your femtocell documentation package.

LED	Display pattern	Action to take
Network	Solid green	None. Ready.
	Blinking red to solid red	Service has not come up since startup or has gone down. If this problem persists, call Customer Support as described in Getting Help.
	Blinking red	Network connection has gone down or has not come up since startup, for 15 minutes or less.
	Solid red	If all LEDs are solid red there is a hardware problem. Contact the customer support number located on the insert included in your femtocell documentation package.
	Off	LED malfunction. Contact the customer support number located on the insert included in your femtocell documentation package.

LED	Display pattern	Action to take
GPS	Solid green	None. GPS is ready.
	Blinking red	<p>GPS is trying to acquire a lock. Perform the following steps. If GPS fix was not achieved after GPS restart (either at power-up or after recovery from an error), then the GPS LED turns solid red after more than 30 minutes.</p> <ul style="list-style-type: none"> • If you have not already done so, connect the external GPS antenna to your device. • If the external GPS antenna is already connected, move it to a different location, preferably on a window sill. • If this problem persists, contact the customer support number located on the insert included in your femtocell documentation package.
	Solid red	<p>GPS fix is not available for more than 30 minutes.</p> <ul style="list-style-type: none"> • If you have not already done so, connect the external GPS antenna to your device. • If the external GPS antenna is already connected, move it to a different location, as close to a window as possible. • If this problem persists, call Customer Support as described in Getting Help. • If all LEDs are solid red there is a hardware problem. If this problem persists, call Customer Support as described in Getting Help.

LED	Display pattern	Action to take
Broadband	Solid green	None. Connected to the Internet.
	Solid red	Femtocell is not connected to the router/modem for more than 15 minutes. If all LEDs are solid red there is a hardware problem. Contact the customer support number located on the insert included in your femtocell documentation package.
	Blinking red	Service error. Check if your broadband modem or broadband router has a problem. Reset your broadband connection device. If the problem with the broadband device persists, contact your Internet service provider (ISP). Ensure that the AIRAVE's router is correctly configured to access the Internet service. See "Configuring AIRAVE™ Router" (page 9). Restart the device by turning the power off and on. If this problem persists, contact the customer support number located on the insert included in your femtocell documentation package.
	Off	The LED is not working or the unit has no power. If this problem persists, contact the customer support number located on the insert included in your femtocell documentation package.

LED	Display pattern	Action to take
All	Solid red	The femtocell cannot pass a hardware self-test. Contact the customer support number located on the insert included in your femtocell documentation package.

See the following page for a quick reference to all LEDs on your femtocell.

FAQs

Why does my femtocell need a GPS antenna?

Your femtocell has a GPS antenna so that it can:

- Synchronize properly with the rest of your service provider's network.
- Determine and select the correct radio frequencies available in your area so that your femtocell uses the correct radio frequencies.

Why does my femtocell need an external GPS antenna?

Your femtocell needs the external antenna only when the internal GPS antenna cannot lock on to sufficient satellite signals. The external antenna lets your femtocell lock on to the greatest number of satellites.

What happens to my femtocell if there is a power outage or if I lose Internet access?

Your femtocell needs both a broadband Internet connection and a constant power supply to work. During a power outage your wireless phone or device will immediately switch to the service provider's network.

Can I move my femtocell to another location?

Yes, you can move your femtocell to another location within your service provider's network.

How do I know if my phone is connecting through my femtocell?

By dialing *99 on your wireless phone, an audio message will confirm if you are in range of your femtocell. Also, you will hear three short beeps on your wireless phone before making and receiving calls.

I have a DSL modem and cannot connect to the Internet

If you are using a DSL modem and your device cannot connect to the Internet, you may need to enter your Internet service provider (ISP) account user name and password so that the femtocell can connect to the Internet. See “Adding Your ISP User Name and Password” (page 23).

Getting Help

If you need help with your femtocell, contact the customer support number located on the insert included in your femtocell documentation package.

Adding Your ISP User Name and Password



Before you begin, obtain your ISP user name and password. Contact your ISP if you do not have this information.

- 1 Ensure that your computer is networked with the femtocell.
- 2 Enter the following IP address in your Web browser:

192.168.17.1

The login dialog box appears.

- 3 Enter “admin” in both the User Name and Password boxes and click **OK**.

User name: admin

Password: admin




The router opens to the Setup tab.



A screenshot of a router's configuration interface showing a horizontal menu of tabs: Setup, Telephony, Content Filtering, Maintenance, and Advanced. The 'Setup' tab is selected and highlighted. Below the tabs, the text 'WAN Settings' is visible.

4 Ensure that **Yes (PPPoE)** is selected.



A screenshot of the 'Does Your Internet Connection Require a Login?' configuration section. It features two radio button options: 'Yes (PPPoE)' which is selected, and 'No (DHCP)'. Below these options is an 'Encapsulation' dropdown menu currently set to 'PPPoE (PPP over Ethernet)'.

5 Enter your ISP user name in the Login box (overwrite “Guest”) and your password in the Password and click **OK**.



A screenshot of the ISP login configuration section, enclosed in a red border. It contains two input fields: 'Login' with the text 'Guest' inside, and 'Password' which is currently empty.

6 Accept the defaults in other fields on the screen and click **Apply**.

Account Name (If Required)

Domain Name (If Required)

Internet IP Address

Get Dynamically From ISP

Use Static IP Address

IP Address

 . . .

Domain Name Server (DNS) Address

Get Automatically From ISP

Use These DNS Servers

Primary DNS

 10 . 1 . 0 . 5

Secondary DNS

 10 . 4 . 0 . 5

Router MAC Address

Use Default Address

Use Computer MAC Address

Use This MAC Address

 00:05:B9:00:6C:8C

When the Broadband LED turns solid green (stops blinking), your Internet connection is available. If the LED is not solid green, call the Customer Support number located on the insert included in your femtocell documentation package.

General Precautions

- Dust your femtocell occasionally to keep air vents clear of debris. Do not wash it.
- Your femtocell has ventilation slots that work best if you don't block them. Keep your femtocell at least 2 inches (5 cm) from walls and other surfaces to ensure proper air flow.
- Do not operate your femtocell in an extremely dusty or humid environment.
- Avoid placing your femtocell near radiators or other heating sources.
- Avoid locating your femtocell where it could be exposed to direct sunlight for prolonged periods.
- Do not connect your femtocell to a power strip containing an excessive number of other devices.
- Although your femtocell is quite durable, it is a complex piece of equipment and can be broken. Avoid dropping, hitting, bending, or sitting on it.
- Do not immerse your femtocell in water or get it wet. If your femtocell does get wet, unplug it immediately until it dries.
- Do not allow children to play with your femtocell. They could hurt themselves and others or damage the femtocell.

NOTE: For the best care of your femtocell, only service provider-authorized personnel should service your device and accessories. Failure to do so may be dangerous and void your warranty.

Warning of 911 Limitations

911 service may be limited or not available outside your service provider's wireless network coverage areas. Interconnected VoIP service may be limited by comparison to traditional 911 service. Such circumstances may include, but are not limited to: relocation of the equipment, broadband connection failure, loss of electrical power, delays in availability of your registered location information, and/or other technical problems. You may not be able to place a 911 call during software updates to the device.

Not all public safety answering points have location-based E911 technology. Always be prepared to report your location to the 911 operator when placing an emergency call.

Mobile phones operate using radio signals which cannot guarantee connection in all conditions.



Unregistered or unauthorized users can make emergency 911 calls using a femtocell.

FCC Information

FCC Radiation Exposure Statement

This device complies with FCC's RF radiation exposure limits set forth for an uncontrolled environment under the following conditions:

- This device should be installed and operated such that a minimum separation distance of 8 inches (20 cm) is maintained between the radiator (antenna) and the user's or nearby person's body at all times.
- This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

For more information, see the publication Femtocells and Health at [http:// www.femtoforum.org](http://www.femtoforum.org) or visit the FCC website at www.fcc.gov.

FCC Part 15

This device has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This device generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this device does cause harmful interference to radio or television reception, which can be determined by turning the device off and on, the user is encouraged to try to correct the interference by one of the following measures:

- Reorient or relocate the receiving antennas of other devices.
- Increase the separation between the femtocell and other device receivers.
- Connect the femtocell into an outlet on a circuit different from that to which the other device receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

